

الكمية	الوحدة	بيان البضاعة	مسلسل
<b>Pipes</b>			
24	متر	Pipe 16" Sch. 40 CS BE SMLS API 5L GR B	1
72	متر	Pipe 14" Sch. STD CS Grd. B X42	2
360	متر	Pipe 10" Gr. X60 Thk. 18.26mm	3
252	متر	Pipe 10" Sch.40/CS SMLS API 5L GR.X42	4
1145	متر	Pipe 6" - Maximum Pressure 72 bars RTP	5
<b>FLANGES</b>			
2	عدد	Flange 16" WN CL- 300 RF CS ASTM A105 N ASME B 16.5 Sch. 40	6
47	عدد	Flange 12" WN ASTM A 105N CS Sch. STD RF CL- 150 ASME B 16.5	7
14	عدد	Flange 12" WN ASTM A 105N CS Sch. 120 RTJ CL- 900 ASME B 16.5	8
8	عدد	Flange 12" WN ASTM A 105N CS Sch. 40 FF CL- 300 ASME B 16.5	9
52	عدد	Flange 12" WN ASTM A 105N CS Sch. 40 RF CL- 300 ASME B 16.5	10
54	عدد	Flange 10" WN ASTM A 105N CS Sch. STD RF CL- 150 ASME B 16.5	11
33	عدد	Flange 10" WN ASTM A 105N CS Sch. STD RF CL- 300 ASME B 16.5	12
8	عدد	Flange 8" WN ASTM A 105N CS Sch. STD RF CL- 150 ASME B 16.5	13
79	عدد	Flange 8" WN ASTM A 105N CS Sch. STD RF CL- 300 ASME B 16.5	14
67	عدد	Flange 8" WN ASTM A 105N CS Sch. 120 RTJ CL- 900 ASME B 16.5	15
184	عدد	Flange 6" CL-150 Sch.STD RF	16
25	عدد	Flange 6" WN ASTM A 105N CS Sch. STD RF CL- 300 ASME B 16.5	17
1	عدد	Flange 6" CL-600 Sch.40 RF	18
11	عدد	Flange 6" CL-600 Sch.80 RTJ	19
7	عدد	Flange 6" WN ASTM A 105N CS Sch. 120 RTJ CL- 900 ASME B 16.5	20
9	عدد	Flange 6" CL- 900 RTJ Sch. 80 ANSI B16.5 FCS A105	21
28	عدد	Flange 4" ASTM A 105N CS Sch. STD RF WN CL- 150 ASME B 16.5	22

الكمية	الوحدة	بيان البضاعة	مسلسل
3	عدد	Flange 4" WN ASTM A 105N CS Sch. STD RF CL- 300 ASME B 16.5	23
4	عدد	FLANGE 4" CL-600 SCH-40 RF	24
4	عدد	FLANGE 4" CL-600 Sch-STD	25
7	عدد	FLANGE 4" CL-600 Sch-STD RF	26
10	عدد	Flange 4" WN CL- 1500 ANSI B16.5 Sch. 40 FCS RTJ A105N	27
10	عدد	Flange 3" CL- 300 FF Sch. 40 CS	28
4	عدد	Flange 3" CL-150 Sch.40	29
10	عدد	Flange 3" Sch. STD, WNFF CL- 150 ASTM A 105N CS ASME B 16.5	30
14	عدد	Flange 3" WN CL- 1500# ASME B16.5 Sch. 80 FCS RTJ A105 Normalised	31
2	عدد	Flange 3" Sch. STD, WNFF CL- 300 ASTM A 105N CS ASME B 16.5	32
10	عدد	Flange 3" Sch. STD, WNRF CL- 300 CS ASTM A 105N ASME B 16.5	33
1	عدد	Flange 3" CL- 900 CS Sch. 80 RF WN	34
95	عدد	Flange 2" CL-150 Sch.40 RF	35
22	عدد	Flange 2" WN Sch. 160 ASTM A 105N CS RTJ CL- 1500 ASME B 16.5	36
50	عدد	Flange 2" Sch. STD, WNRF CL- 300 ASTM A 105N CS ASME B 16.5	37
16	عدد	Flange 2" WN CL- 600 ANSI B16.5 Sch. 80 FCS RF A105 Normalised	38
28	عدد	Flange 2" Super Duplex SS ASTM A 182 F 53 CL- 1500 WN RTJ ASME B 16.5 Sch. 40S	39
42	عدد	Flange 2" Super Duplex SS ASTM A 182 F 53 CL- 300 WNRF ASME B 16.5 Sch. 40S	40
56	عدد	Flange 2" Super Duplex SS ASTM A 182 F 53 CL- 150 WNRF ASME B 16.5 Sch. 40S	41
3	عدد	Flange 2" CL-300 With Conc Reducer 2" X 3/4" SDSS	42
3	عدد	Flange 2" CL-300 Sch 40s With Con Redu 2" X 3/4" SDSS	43
1	عدد	Flange 2" CL-300 Sch 40s With Ecc Redu 2" X 1" SDSS	44
6	عدد	Flange 2" CL-300 Sch 40s With Con Redu 2" X 3/4" SDSS	45
8	عدد	Flange 1" Sch. 40S CL- 1500 SW RTJ Super Duplex Stainless Steel ASTM A182 F55 (UNS S32760) ASME B16.5	46

الكمية	الوحدة	بيان البضاعة	مسلسل
7	عدد	Flange 1" Super Duplex SS ASTM A 182 F 53 CL- 150 WNRF ASME B 16.5 Sch. 40S	47
6	عدد	Flange 1" Sch. 40S CL- 300 WN RF Super Duplex Stainless Steel ASTM A182 F55 (UNS S32760) ASME B16.5	48
11	عدد	Flange 1" Sch. XS, SW-RF CL- 300 ASTM A 105N FCS ASME B 16.5	49
2	عدد	Flange 1" WN FF 3 mm THK CL- 300 - 90-10 CU-NI,FORGED EEMUA 145/87 ASME B16.5	50
6	عدد	Flange 1/2" CL-1500 Sch-160S SDSS	51
10	عدد	Flange 1/2" CL-300 Sch 40s SDSS	52
20	عدد	Flange 2-1/16" WN API 6A CL- 5000 Sch. 80 T AA	53
3	عدد	Flange 2-1/16" CL-5000 Sch-40	54
3	عدد	Flange 3-1/16" WN API 6A Type 6BX,BX.-154,PSL-2 CL- 10000 Sch. XXS FCS RTJ Material Class DD	55
1	عدد	Flange 3-1/16" WN API 6A-60K Type 6BX,BX.-154,PSL-2 CL- 15000 Sch. XXS FCS RTJ Material Class DD	56
8	عدد	Flange 3-1/8" WN API 6A-60K Type 6B CL- 2000 Sch. 80 FCS RTJ Material Class DD	57
92	عدد	Flange 3/4" Super Duplex SS ASTM A 182 F 53 CL- 150 WNRF ASME B 16.5 Sch. 40S	58
91	عدد	Flange 3/4" Super Duplex SS ASTM A 182 F 53 CL- 300 WNRF ASME B 16.5 Sch. 40S	59
26	عدد	Flange 3/4" WN FF 3 mm THK CL- 300 - 90-10 CU-NI,FORGED EEMUA 145/87 ASME B16.5	60
22	عدد	Flange 3/4" CL-300 RF Cuni	61
1	عدد	Flange 4-1/16" WN API 6A CL- 5000# Sch. 80 FCS RTJ Material 60k Class DD Type 6B	62
6	عدد	Flange 3" X 3/4" CL-300 Cuni	63
12	عدد	Flange 3 " X 2" CL-300 Cuni	64
2	عدد	Flange 2" CL-300 With Conc Redu 2" X 1" & another Side Flange 1" CL-150 SDSS	65
4	عدد	Flange 2" CL-300 With Conc Redu 2" X 3/4" & another Side Flange 3/4" CL-300 SDSS	66
3	عدد	Flange 2" CL-300 With Conc Reducer 2" X 3/4" SDSS	67
8	عدد	Orifice Flange 12" ASTM A516 GR 60N, CS, WN RF Sch. 40 CL- 300 ASME B 16.5	68

الكمية	الوحدة	بيان البضاعة	مسلسل
27	عدد	Orifice Flange 8" ASTM A516 GR 60N, CS, WN RF Sch. STD CL- 300 ASME B 16.5	69
<b>BLIND FLANGES</b>			
3	عدد	Blind Flange 16" CS CL- 300 ASTM A105 N RF to ASME B16.5	70
16	عدد	Blind Flange 12" WN ASTM A 105N CS RF CL- 300 ASME B 16.5	71
7	عدد	Blind Flange 12" WN ASTM A 105N CS RF CL- 150 ASME B 16.5	72
1	عدد	BLIND FLANGE 10" CL-300 RF	73
5	عدد	BLIND FLANGE 10" CL-300 RF	74
5	عدد	Blind Flange 8" CL- 600 RF ASTM A 105 N to ASME B16.5	75
2	عدد	Blind Flange 6" CL- 900 CS Sch. 80 RTJ	76
1	عدد	Blind Flange 6" CL- 900 Sch. 80 CS RF	77
7	عدد	Blind Flange 6" CL- 1500 RTJ FCS ASME B16.5 ASTM A105N	78
2	عدد	Blind Flange 4" CL- 300 CS RF - Forged ASTM A105 ASME B16.5	79
11	عدد	Blind Flange 3" CL- 1500# A105N ASME B16.5 RTJ	80
2	عدد	Blind Flange 3" WN CL- 600 ANSI B16.5 Sch. 40 FCS RTJ A105 Normalised	81
6	عدد	Blind Flange 2" WN ASTM A 105N CS RTJ CL- 1500 ASME B 16.5	82
9	عدد	Blind Flange 2" RF CL- 600 ANSI B16.5 FCS A105N	83
5	عدد	Blind Flange 2" ASTM A 105N CS WN RF CL- 300 ASME B 16.5	84
1	عدد	BLIND FLANGE 2" CL- 600 RTJ	85
10	عدد	Blind Flange 3-1/8" WN RTJ API 6A Type 6B 5000# Sch. 80 FCS Material 60k Class DD	86
6	عدد	BLIND FLANGE 3/4", CL-300 Sch-STD	87
3	عدد	BLIND FLANGE 3/4", CL-150 SDSS	88
1	عدد	Blind Flange 2" CL- 1500 RTJ Super Duplex SS ASTM A 182 F53	89
43	عدد	Blind Flange 2" Super Duplex SS ASTM A 182 F 53 CL- 300 RF ASME B 16.5	90
22	عدد	Blind Flange 2" Super Duplex SS ASTM A 182 F 53 CL- 150 RF ASME B 16.5	91
12	عدد	Blind Flange 1" Super Duplex SS ASTM A 182 F 53 CL- 150 RF ASME B 16.5	92
<b>RTRP PIPES &amp; FITTINGS</b>			
19	عدد	Elbow 12" X 90 ° RTRP to ASTM D 5685 Type Rubber Seal lock spigot One end/bell Socket other end Or Taper-Taper Adhesive (Suitable For F10B)	93

الكمية	الوحدة	بيان البضاعة	مسلسل
6	عدد	Elbow 12" X 90 ° RTRP to ASTM D 5685 Type Rubber Seal lock spigot One end/bell Socket other end Or Taper-Taper Adhesive (Suitable For F10B)	94
1	عدد	Elbow 12" X 90 ° RTRP to ASTM D 5685 Type Rubber Seal lock spigot One end/bell Socket other end Or Taper-Taper Adhesive (Suitable For F30B)	95
7	عدد	Elbow 12" X 45 ° RTRP to ASTM D 5685 Type Rubber Seal lock spigot One end/bell Socket other end Or Taper-Taper Adhesive (Suitable For F10B)	96
10	عدد	Elbow 12" 45 ° RTRP to ASTM D 5685 - Rubber Seal lock spigot One end/bell Socket other end Or Taper-Taper Adhesive (Suitable For F30B)	97
1	عدد	Elbow 10" X 45 ° RTRP to ASTM D 5685 Type Rubber Seal lock spigot One end/bell Socket other end Or Taper-Taper Adhesive (Suitable For F30B)	98
40	عدد	Elbow 10" X 90 ° RTRP to ASTM D 5685 Type Rubber Seal lock spigot One end/bell Socket other end Or Taper-Taper Adhesive (Suitable For F30B)	99
7	عدد	Elbow 8" 90 ° RTRP 5D Radius (F30A) - RTRP Fittings (Filament Wound Thermosetting Epoxy)Resin fittings to ASTM DS68S,rubber seal lock, spigot one end bell socket other end/or tapper adhesive t ype,Max.rating pressure-UP to 3S BAR/ TEM P - 230°F	100
6	عدد	Elbow 4" 90 ° - Double Rubber Seal Lock Joint Spigot One End/Bell Socket Other End With Two "O" Ring Filament Wound Thermosetting Resin ASTM D2996/D1559	101
26	عدد	Flange 8" CL- 300 - RTRP FF Flanges Integral with Pipe Spools ASTM D4024	102
7	عدد	Blind Flange 8" CL- 300 FF RTRP ASME B16.5	103
4	عدد	Flange 3" CL- 300 RTRP FF Flanges Integral ASTM D 4024 ASME B16.5	104
7	عدد	Flange 4" CL- 300 FF Flanges Integral with Pipe Spools, Pressure/Temperature Rating & Bolt Drilling To Suit ASME B16.15	105
2	عدد	Blind Flange 4" CL- 300 FF Flanges Integral ASTM D 4024 ASME B16.5	106
7	عدد	Flange 10" CL- 300 LB FF Filament Wound Thermosetting Resin Epoxy Fittings To ASTM D4024 Integral with Pipe Spools, Pressure/Temperature Rating & Bolt Drilling To Suit ASME B16.5 (suitable for F30B)	107

الكمية	الوحدة	بيان البضاعة	مسلسل
3	عدد	RTRP Reinforcing Saddle 12 "X 1"	108
2	عدد	RTRP Reinforcing Saddle 12 "X 3/4"	109
5	عدد	RTRP Reinforcing Saddle 10 "X 1"	110
3	عدد	RTRP Reinforcing Saddle 10 "X 1/2"	111
8	عدد	RTRP Reinforcing Saddle 8 "X 3"	112
2	عدد	RTRP Reinforcing Saddle 8 "X 2"	113
4	عدد	Equal Tee 4" X 4 - DOUBLE RUBBER SEAL LOCK JOINT SPIGOT ONE END/ BELL SOCKET OTHER END WITH TWO "O" RING FILAMENT	114
1	عدد	Equal Tee 12" - filament Wounded thermosetting Resin Epoxy Fittings To ASTM D 5685 Rubber Seal Lock Spigot one end/Bell Socket Other End Or Taper - taper Adhesive type (Suitable For 10B)	115
2	عدد	Elbow 8" 18 ° RTRP 5D Radius (F30A) - RTRP Fittings (Filament Wound Thermosetting (Epoxy)Resin fittings to ASTM DS68S,rubber seal lock, spigot one end bell socket other end/or tapper adhesive t ype,Max.rating pressure-UP to 3S BAR/ TEM P - 230°F	116
1	عدد	Reducing Tee 12" X 8" - Filament Wound Thermosetting Resin Epoxy Fittings To ASTM D5685 Rubber Seal Lock Spigot One End/ Bell Socket Other End or Taper-Taper Adhesive type (suitable for F10B)	117
<b>ELBOWS</b>			
2	عدد	Elbow 16" 90 ° CS ASTM A234-WPB-FBE LINED BW SMLS ASME TO B 16.9 Sch. 40 (SCH-XS)	118
2	عدد	Elbow 12" 90 Degree SCH 120 ASTM A234 WPB BE SMLS CS ASME B 16.9 (Sch-XXS)	119
12	عدد	Elbow 12" 90 Degree SCH 40 ASTM A234 WPB BE SMLS CS ASME B 16.9	120
9	عدد	Elbow 12" 45 Degree SCH STD ASTM A234 WPB BE SMLS CS ASME B 16.9	121
5	عدد	Elbow 10" 90deg Sch.80	122
4	عدد	Elbow 10" 90 ° Sch. STD CS ASTM A234 WPB SMLS BE ASME B16.9	123
5	عدد	Elbow 10" 45 ° CS Sch. STD WPB BE SMLS ASTM A234 FBE Lined ASME B16.9	124
1	عدد	Elbow 10" 45deg Sch-80	125

الكمية	الوحدة	بيان البضاعة	مسلسل
1	عدد	Elbow 8" 45 ° BW Sch. STD CS SMLS ASTM A234 Gr. WPB ASME B16.9	126
5	عدد	Elbow 8" X 45 ° CS Sch. 80 BW	127
6	عدد	Elbow 8" 45 ° BW Sch. 160 ASTM A860 Gr. WPHY 52 ASME B16.9	128
1	عدد	Elbow 8" X 90 ° Sch. STD CS SMLS BE ASTM A234 Gr. WPB ASME B16.5 FBE Lined	129
1	عدد	Elbow 8" X 90 ° CS Sch. 80 BW	130
4	عدد	Elbow 8" 90 ° BW Sch. 160 CS SMLS ASTM A860 Gr. WPHY 52 ASME B16.9	131
9	عدد	Elbow 6" 45 ° CS Sch. STD WPB BE SMLS ASTM A234 FBE Lined ASME B16.9	132
83	عدد	Elbow 6" X 90 ° Sch. 80 SMLS ASTM A234 WPB LR	133
81	عدد	Elbow 6" X 90 Degree sch std ASTM A234 WPB BE Seamless CS ASME B 16.9	134
4	عدد	Elbow 4" X 45 ° LR Sch. 80 SMLS BE A234 GR WPB	135
104	عدد	Elbow 4" X 90 ° LR Sch. 80 SMLS BE A234 GR WPB	136
6	عدد	Elbow 4" 90 ° BW Sch. XXS CS SMLS ASTM A234 WPB ASME B16.9	137
40	عدد	Elbow 3" X 90 ° Sch. 40 BW LR SMLS ASTM A234 WPB	138
132	عدد	Elbow 3" X 90 ° LR Sch. 80 SMLS BW A234 GR WPB	139
16	عدد	Elbow 2" X 90 ° Sch. 40 Stainless Steel	140
5	عدد	Elbow 2" 90deg Cuni	141
1644	عدد	Elbow 2" 90 ° BW Sch. STD CS ASTM A234 Gr. WPB ASME B16.9 SMLS	142
4	عدد	Elbow 1" 90 Degree -3MM THK FEM EEMUA 146/87 - 90-10 CU-NI,Capillary Brazing Fitting	143
4	عدد	Elbow 3/4" 90 ° SW CL- 6000# Super Duplex ss ASTM A182 F55 (UNS S32760)	144
<b>EQUAL TEE</b>			
4	عدد	Equal Tee 12" Sch. STD ASTM A234 WPB BW SMLS CS ASME B 16.9	145
3	عدد	Equal Tee 10" Sch. STD CS BE SMLS ASTM A234 Gr. WPB ASME B16.9	146
1	عدد	Equal Tee 10" Sch. XS SMLS WCS BW ASTM A860 WPHY 60 ASME B16.9 Suitable for sour service	147
44	عدد	Equal Tee 6" Sch. 80 SMLS ASTM A234 WPB	148

الكمية	الوحدة	بيان البضاعة	مسلسل
11	عدد	Equal Tee 6" Sch. STD ASTM A234 WPB BE SMLS CS ASME B 16.9	149
12	عدد	Equal Tee 4" Sch. 40 SMLS BE A234 GR WPB	150
6	عدد	Equal Tee 3" Sch. 80 SMLS BE A234 GR WPB	151
10	عدد	Equal Tee 3" Sch. STD CS BW SMLS ASTM A234 Gr. WPB ASME B16.9	152
4	عدد	Equal Tee 2" Sch. 40 SS	153
3	عدد	Equal Tee 8" ASTM A234 WPB BW SMLS CS Sch. STD ASME B 16.9	154
1	عدد	Equal Tee 8" Sch. 80 CS BW	155
4	عدد	Barred Tee 8 X 8" CL- 1500# Sch. 100 - FLANGED CS RTJ	156
<b>REDUCING TEE</b>			
2	عدد	Reducing Tee 3" x 2" Sch. 80 SMLS A234 GR WPB BE ASME B16.9	157
1	عدد	Reducing Tee 3" x 2" CS Sch. STD Seamless BW ASTM A 234 WPB	158
34	عدد	Reducing Tee 6" X 3" BW Sch. 80 SMLS ASTM A234 WPB	159
10	عدد	Reducing Tee 4" x 3" Sch. 80 SMLS WCS BE ASTM A234 Gr. WPB ASME B16.9	160
2	عدد	Reducing Tee 8" X 6" BW Sch. STD SMLS CS API 5L GR B	161
2	عدد	Reducing Tee 8" X 6" Sch. 80 CS BW	162
2	عدد	Reducing Tee 8 X 4" BW Sch. 160 CS ASTM A860 Gr. WPHY 52 ASME B16.9	163
1	عدد	Reducing Tee 10" X 8" Sch. STD CS WPB SMLS BW ASTM A234 FBE Lined ASME B16.9	164
1	عدد	Reducer ECC 8 X 4" BW Sch. STD CS SMLS ASTM A234 Gr. WPB ASME B16.9	165
2	عدد	Reducer ECC 8 X 4" BW Sch. STD CS SMLS ASTM A234 Gr. WPB ASME B16.9	166
4	عدد	Reducer ECC 6" X 4" BW Sch. STD CL- 300 CS SMLS ASTM A105 ASME B16.9	167
2	عدد	Ecc Reducer 2" x 3/4" Sch-40	168
2	عدد	Ecc Long Reducer PBE 2" X 1" Sch 40s SDSS	169
7	عدد	Reducer Conc. 10" X 12" Sch. 40 ASTM A234 GR. WPB BW SMLS CS ASME B 16.9	170
2	عدد	Reducer Conc. 12" X 6" Sch. STD CS WPB BW SMLS ASTM A234 FBE Lined ASME B16.9	171



الكمية	الوحدة	بيان البضاعة	مسلسل
10	عدد	Reducer Conc. 8" X 10" Sch. STD CS WPB BW SMLS ASTM A234 FBE Lined ASME B16.9	172
4	عدد	Reducer Conc. 8" X 6" Sch. STD CS WPB BW SMLS ASTM A234 FBE Lined ASME B16.9	173
1	عدد	Reducer Conc. 8" X 4" Sch. STD CS WPB BW SMLS ASTM A234 FBE Lined ASME B16.9	174
36	عدد	Reducer Conc. 6" X 3" Sch. 80 SMLS BE A234 GR WPB	175
8	عدد	Reducer Conc. 6" X 4" Sch. 80 SMLS ASTM A234 WPB	176
115	عدد	Reducer Conc. 3" x 4" Sch. 80 SMLS BE A234 GR WPB	177
17	عدد	Reducer Conc. 3" x 4" Sch. 40 SMLS BE A234 GR WPB	178
80	عدد	Con. Long Reducer PBE 2" X 3/4" SDSS	179
32	عدد	Con. Long Reducer PBE 2" X 3/4" Sch-40S SDSS	180
8	عدد	Con. Long Reducer PBE 2" X 1" Sch-40S SDSS	181
8	عدد	Con. Long Reducer PBE 2" X 1/2" Sch-40S SDSS	182
20	عدد	Reducer Conc. 2" X 3/4" - FEM 4mm x 3mm 90-10 CU-NI, Capillary Brazing Fittings, Manufactures Standard EEMUA 146	183
8	عدد	Reinforcing Saddles 8" X 2" Sch-40	184
2	عدد	Reinforcing Saddles 8" X 3" Sch-40	185
<b>SPECTACLE BLIND</b>			
2	عدد	Spectacle Blind 4" CL- 300 RF ASTM A516 GR 70N, CS, Plate	186
2	عدد	Spectacle Blind 8" CL- 300 FF ASTM A516 GR 70, CS Plate - Internally Liquid Epoxy Lined	187
4	عدد	Spectacle Blind 8" ASTM A516 GR 60N, CS, WN RTJ CL- 900 ASME B 16.5	188
2	عدد	Spectacle Blind 10" ASTM A516 GR 60N, CS, WN FF CL- 300 ASME B 16.5	189
2	عدد	Spectacle Blind Flange Spade 2" CL-300 SDSS	190
2	عدد	Spectacle Blind Flange Spade 4" CL-300 SDSS	191
<b>FITTINGS</b>			
26	عدد	Plug 4" 3000# , 6000# A105N	192
6	عدد	Cap 4" Sch-80 Thrd A105N	193
4	عدد	Cap End 2" CS : 6000 BW	194
27	عدد	End Seal 20" X 26"	195
4	عدد	Casing End Seal - 16" x 10" with Stainless Steel Strap	196
3	عدد	Casing End Seal 6" X 12" with Stainless Steel Strap	197
2	عدد	Equal Tee 1/2" CL- 6000 SW FCS A105	198
16	عدد	Equal Tee 3/4" 6000# SW FCS A105N	199

الكمية	الوحدة	بيان البضاعة	مستسل
3	عدد	Equal Tee 1/2" 6000# Thrd. FCS ASTM A105N	200
13	عدد	Threadolet 36" ,1-1/2" X 1" Sch- XXS	201
3	عدد	Threadolet 36" ,1" X 3/4 "	202
16	عدد	Swage Nipple 1" X 3/4" Sch. XXS SMLS POE/TOE	203
8	عدد	Nipple 1" X 4" LG ST SMLS Sch. XXS CS, PBE, Grade B	204
9	عدد	Nipple 1" X 4" LG ST SMLS Sch. XXS CS,POE/TOE GR B	205
68	عدد	Nipple 1/2" SCH-XXS one side Thrd	206
33	عدد	Nipple 1/2" Sch-XXS TOE / NPT	207
2	عدد	Nipple 1/2" Thrd Sch-40 SDSS	208
20	عدد	Nipple 3/4" X 4" SCH-XXS TBE	209
195	عدد	Nipple 3/4" SCH-160 API 5L Gr.B TOE/POE	210
52	عدد	Nipple 3/4 " Sch - XXS TOE / NPT	211
6	عدد	Nipple Pipe 3/4" PBE	212
4	عدد	Nipple Pipe 3/4" Thrd TBE	213
18	عدد	Nipple Pipe 3/4" TBE 150mm	214
39	عدد	Swage Nipple 3/4" X 1/2" SCH-XXS Thrd	215
2	عدد	Swage Nipple 3/4" X 1/2" Sch-40 SDSS	216
22	عدد	Swage Nipple 3/4 X 1/2" Sch. 80 CS - PBE	217
3	عدد	Swage Nipple 1/2" X 3/4" Sch. 160 SMLS TBE A234 GR WPB	218
12	عدد	Weldolet 2" X 12 " Sch-160	219
19	عدد	Weldolet 2" X 14" Sch-STD	220
7	عدد	Cap 1" CL- 6000 Thrd. FCS A105	221
17	عدد	Cap 1/2" 6000# SW FCS A105	222
103	عدد	Cap 1/2" 6000# Thrd. FCS A105	223
18	عدد	Cap 3/4" Thrd. CL- 6000 FCS A105	224
4	عدد	Cap 3/4" Sch. THRD - 90-10 CU-NI THRD FITTINGS EEMUA 146/87	225
59	عدد	Half Coupling 1/2" SW 6000# A105N FCS	226
32	عدد	Half Coupling 3/4" #3000 SA/A105N	227
2	عدد	Full Coupling 3/4" 6000#	228
23	عدد	Plug 3/4" Hex Head 6000# Solid B16.11 FCS Screwed	229
9	عدد	Plug for Pipe 1/2" : NPT (M) CL- 6000 # MONEL	230
36	عدد	Plug 1/2" - THREADED	231
31	عدد	Threadolet 4" X 6" 3000# FCS A105N	232
2	عدد	Threadolet 6" X 10" Sch -160	233
26	عدد	Threadolet 8" X 3 " Sch -160	234

الكمية	الوحدة	بيان البضاعة	مسلسل
1	عدد	Threadolet 36- 6" X 4 "	235
82	عدد	Gasket 6" CL- 600 Soft Iron RTJ Octagonal R45	236
105	عدد	Gasket 8" CL- 1500 RTJ - R Type Oval shape, Soft iron ASME B16.20	237
12	عدد	Gasket 3-1/8" - Soft Iron - D CL- 5000 RTJ Octagonal R35 B16.20	238
17	عدد	Gasket 10" - Soft Iron - D CL- 2500 RTJ Oval R55 B16.20	239
12	عدد	Gasket 14" - Soft Iron - D CL- 1500 RTJ Oval R63 B16.20	240
16	عدد	Gasket 8" - Soft Iron - D CL- 2500 RTJ Oval R51 B16.20	241
14	عدد	Gasket 12" - Soft Iron - D CL- 2500 RTJ Oval R60 B16.20	242
226	عدد	Gasket 6" - Soft Iron - D CL- 2500 RTJ Oval R47 B16.20	243
23	عدد	Gasket 20" CL- 1500 RTJ Octagonal R75 90 HB	244
103	عدد	Gasket 3" CL- 600 RTJ Soft Iron Octagonal R31	245
4	عدد	Gasket 5-1/8" RTJ PSI - 5000 PSI, R-TYPE OVAL CROSS SECTION TO SUIT API 6A (TYPE 6B) SOFT IRON ASME B16.20	246
6	عدد	Gasket 1" RTJ CL- 1500 ASME B16.20 - R- TYPE OVAL SHAPE, SOFT IRON	247
629	عدد	Gasket 4" CL- 900 RTJ Soft Iron Octagonal R37	248
11	عدد	Gasket 8" CL- 900 RTJ,R-Type,Soft Iron - Oval Shape, ASME B16.20	249
15	عدد	Gasket 12" CL- 900 RTJ,R-Type,Soft Iron - Oval Shape, ASME B16.20	250
58	عدد	Gasket 3-1/16" CL- 10000, SS316 RTJ Octagonal BX -154, B16.50	251
314	عدد	Gasket 6" CL- 900/300/600 RTJ,R-Type,Soft Iron - Oval Shape, ASME B16.20	252
316	عدد	Gasket 6" CL- 1500# Soft Iron RTJ Octagonal R46	253
68	عدد	Gasket 10" - Soft Iron - D CL- 1500 RTJ Oval R54 B16.20	254
1	عدد	Gasket 1-11/16 BX-150	255
57	عدد	Gasket 2-1/2"Oval R-26	256
20	عدد	Gasket 4" Soft Iron Type R CL- 1500 RTJ Oval R39	257
37	عدد	Gasket 3" Soft Iron - D CL- 1500 RTJ R35 B16.20 Oval	258
2	عدد	Gasket 4-1/16" Super Duplex SS ASTM A 182 F53 CL- 10000 RTJ Oval BX155	259
110	عدد	Gasket 2" - Soft Iron - RTJ CL- 1500 Oval R24	260
13	عدد	Gasket 3-1/8" - Soft Iron - D CL- 5000 RTJ Octagonal R35 B16.20	261
6	عدد	Gasket 4"2500 R-38	262

الكمية	الوحدة	بيان البضاعة	مسلسل
1	عدد	Gasket 3-1/16" CL- 15000, SS316 RTJ Octagonal BX -154, B16.50	263
8	عدد	Gasket 2-1/16#3000/5000 RX-24	264
52	عدد	Gasket Spiral Wound 4.5 mm ASME B 16.20 316 SS for Flange 6" CL-1500	265
190	عدد	Gasket 6" CL- 2500 RF SS 316 , Spiral Wound 4.5 mm Thick , Non-Asbestos Filler	266
10	عدد	Gasket Spiral Wound 6" Non-Asbestos CL- 900 RF 4.5mm Thick to ASME B16.2	267
62	عدد	Gasket 6" CL- 600 RF - Spiral wound, SS316, 4.5 mm thick, Non-asbestos filler, suitable for Sour Service	268
6	عدد	Gasket 6" CL- 150 RF - Spiral wound, SS316, 4.5 mm thick, Non-asbestos filler, suitable for Sour Service	269
40	عدد	Gasket 12" CL- 600 RF - Spiral wound, 316 SS, 4.5 mm thick, non asbestos filler, suitable for sour service	270
5	عدد	Gasket Spiral Wound 10" 1500	271
27	عدد	Gasket 10" CL- 600 RF - Spiral wound, S316, 4.5mm Thk, Non Asbestos filler	272
2	عدد	Gasket Spiral Wound 10" 600 316/ FG 316	273
1	عدد	Gasket Spiral Wound 24 " 600 316/ FG 316	274
8	عدد	Gasket Spiral Wound 8" Non-Asbestos CL- 1500 RF 4.5mm Thick to ASME B16.2	275
16	عدد	Gasket Spiral Wound 8" Non-Asbestos CL- 900 RF 4.5mm Thick to ASME B16.2	276
7	عدد	Gasket 8" CL- 600 RF - Spiral wound, S316, 4.5mm Thk, Non Asbestos filler	277
52	عدد	Gasket Spiral Wound 4"600 FF	278
393	عدد	Gasket 3" CL- 600 RF - Spiral wound, S316, 4.5mm Thk, Non Asbestos filler	279
171	عدد	Gasket 2" CL- 600 RF - Spiral wound, S316, 4.5mm Thk, Non Asbestos filler	280
3	عدد	Gasket 6"300 Spiral Wound FF	281
29	عدد	Gasket 4" - Compressed Non Asbestos Fiber, 1/16" (1.5MM) THK, CL-150 RF Flat Ring Type ASME B16.21	282
16	عدد	Gasket 8" - Compressed Non Asbestos Fiber, 1/8" (3.0MM) THK, CL-150 FF Flat Ring Type ASME B16.23	283
75	عدد	Full Face Gasket 2" CL-300	284

الكمية	الوحدة	بيان البضاعة	مسلسل
20	عدد	Full Face Gasket 10" CL-300	285
4	عدد	Gasket 8" - Compressed Non Asbestos Fiber, 1/8" (3.0MM) THK, CL-150 FF Flat Ring Type ASME B16.23	286
26	عدد	Fiber Ring Gasket 12"	287
8	عدد	Fiber Ring Gasket 8"	288
10	عدد	Fiber Ring Gasket 3/4" X 300	289
33	عدد	Insulation Kit 8" CL- 1500 Type D - RING TYPE JOINT GASKET Spec. Oval cross section, Medium weave, Fabric-reinforced phenolic with Polyester mylar sleeves, Cotton reinforced phenolic washers and Mild steel zinc plated backup washers	290
58	عدد	Insulation Kit 3" CL- 1500 Type D - RING TYPE JOINT GASKET Spec. Oval cross section, Medium weave, Fabric-reinforced phenolic with Polyester mylar sleeves, Cotton reinforced phenolic washers and Mild steel zinc plated backup washers	291
6	عدد	Insulation Kit 12" CL- 900	292
15	عدد	Insulation Kit 4" CL- 1500 Type D - RING TYPE JOINT GASKET	293
36	عدد	Insulation Kit 2" CL- 1500 RTJ Type D, Oval shape GRE G10 insulation gasket, sleeve and washers & CS Zinc plated washer	294
12	عدد	Insulation Kit 1" - 300# 3.2mm Thk. ASME B16.5 As per KOC STD. MP-031	295
33	عدد	Insulation Kit 4" CL- 2500 RTJ Type D, Oval shape GRE G10 insulation gasket, sleeve and washers & CS Zinc plated washer	296
11	عدد	Insulation Kit 6" CL- 1500 WNRF Flange	297
1	عدد	Insulation Kit 6" CL- 2500 WNRF Flange	298
10	عدد	Insulation Kit 2" CL- 2500 RTJ Type D, Oval shape GRE G10 insulation gasket, sleeve and washers & CS Zinc plated washer	299
15	عدد	Insulation Kit 3" CL- 300 Type E-3.2 mm Thk Phenolic Resin with Pipe Sealing Element Bpolster Mylar Sleeves, Cotton Reinforced Phenolic Washers Mild Steel Zinc Plated Backup Washer ASME B16.5/ Manufacture`s Standard	300
10	عدد	Insulation Kit 2" CL- 300 Type E-3.2 mm Thk Phenolic Resin with Pipe Sealing Element Bpolster Mylar Sleeves, Cotton Reinforced Phenolic Washers Mild Steel Zinc Plated Backup Washer ASME B16.5/ Manufacture`s Standard	301
3	عدد	Insulation Kit 4" CL- 300	302
2	عدد	Insulation Kit 4" Type RF CL- 150 ASME B16.5	303

الكمية	الوحدة	بيان البضاعة	مسلسل
4	عدد	Insulation Kit 3" CL- 300 Type E-3.2 mm Thk Phenolic Resin with Pipe Sealing Element Bpolster Mylar Sleeves, Cotton Reinforced Phenolic Washers Mild Steel Zinc Plated Backup Washer ASME B16.5/ Manufacture`s Standard	304
4	عدد	Insulation Kit 2" CL- 300 RF - Size, Rating, To Suit Flange ASME B16.5	305
3	عدد	Insulation Kit 3" CL- 150 RF - Size, Rating, To Suit Flange ASME B16.5	306
2	عدد	Insulation Kit 8" CL- 300	307
4	عدد	Insulation Kit 4" Type RF CL- 150 ASME B16.5 O Ring Full Face	308
1	عدد	Flange Insulation Kit O Ring Full Face 3" 300#	309
2	عدد	Flange Insulation Kit 6" 150#	310
3	عدد	Insulation Kit 6" CL- 300	311
2	عدد	Insulation Kit 6" CL- 600 RF ASME B16.5 Gasket-VCS Lineseal, Mylar Sleeve, G10 Washers with Mild Steel Zinc plated back up washers	312
7	عدد	Insulation Kit 8" Type e-3.2mm THK CL- 300 ASME B16.5	313
8	عدد	Insulation Kit 8" CL- 300	314
1	عدد	Insulation Kit 10" CL- 150	315
1	عدد	Insulation Kit 12" CL- 300	316
3	عدد	Insulation Kit 2" - 150# RF Flat Ring Type 3.2mm Thk. ASME B16.5 As per KOC STD. MP-031	317
6	عدد	Insulation Kit 10" CL- 600 , RF	318
2	عدد	Insulation Kit 10" CL- 1500 As per KOC Std.	319
1	عدد	Insulation Kit 2" CL- 2500 RTJ Type D, Oval shape GRE G10 insulation gasket, sleeve and washers & CS Zinc plated washer	320
5	عدد	Insulation Kit 3" CL- 1500 WNRF Flange	321
26	عدد	Insulation Kit 4" CL- 2500 RTJ Type D, Oval shape GRE G10 insulation gasket, sleeve and washers & CS Zinc plated washer	322
11	عدد	Insulation Kit 3" CL- 2500 WNRF Flange	323
1	عدد	Smith gasket corrision kit 12" X 600 FF	324
2225	عدد	Stud Bolt 1 3/8" X 10 3/4" LG ASTM A193 B7M/A194 2HM, C/W Nuts (for Flange 6", CL-1500)	325
42	عدد	Stud Bolt 1 5/8" C/W Nuts. - Alloy (B7M/2HM) 450 mm LG	326
575	عدد	Stud Bolt 1 5/8" C/W Nuts. - Alloy (B7M/2HM) 350 mm LG	327
1360	عدد	Stud Bolt 1 5/8" C/W Nuts. - Alloy (B7M/2HM) 370 mm LG	328
49	عدد	Stud Bolt 1 5/8" C/W Nuts. - Alloy (B7M/2HM) 420 mm LG	329

الكمية	الوحدة	بيان البضاعة	مسلسل
49	عدد	Stud Bolt 2" 415mm	330
827	عدد	Stud Bolt 1" ASTM A193 GR B7 BOLTS AND ASTM A194 GR 2H NUTS - Threaded Full Length With Two Hex Nuts (180 mm long)	331
222	عدد	Stud Bolt 1 1/4" Alloy ASTM A193 GR B7 BOLTS AND ASTM A194 GR 2H NUTS - 190 mm LG For 16" Flange CL-300 RF	332
7	عدد	Stud Bolt 3/4" X 175mm	333
47	عدد	Stud Bolt 3/4" - 2 no.s Heavy Hex Nuts ASTM A 193 GR/B7ASTM A194 GR 2H ELECTROZINC PLATED AS PER ASTM B633 ASME B 1.1 AND ASME B18.2.1/B18.2.1/ASME B18.2.2 Size 160 MM	334
580	عدد	Stud Bolt 3/4" - 2 no.s Heavy Hex Nuts ASTM A 193 GR/B7ASTM A194 GR 2H ELECTROZINC PLATED AS PER ASTM B633 ASME B 1.1 AND ASME B18.2.1/B18.2.1/ASME B18.2.2 Size 155 MM	335
32	عدد	Stud Bolt 1-3/8" X 220mm	336
73	عدد	Stud Bolt 1-3/8" X 240mm	337
11	عدد	Stud Bolt 1 3/8" Alloy ASTM A193 GR B7 BOLTS AND ASTM A194 GR 2H NUTS - THRD FULL LENGTH WITH TWO HEX NUTS LENGTH 300 MM	338
30	عدد	Stud Bolt 1-1/4" X 245mm	339
60	عدد	Stud Bolt 1-1/8" X 225mm	340
28	عدد	Stud Bolt 1-1/4" X 220mm	341
12	عدد	Stud Bolt 1-1/4" X 205mm	342
5	عدد	Stud Bolt 1-1/8" X 240mm	343
40	عدد	Stud Bolt 7/8" ASTM A193 GR B7 BOLTS AND ASTM A194 GR 2H NUTS - THRD FULL LENGTH WITH TWO HEX NUTS LENGTH 140MM	344
5	عدد	Stud Bolt 5/8" GR B7/ASTM A194 GR 2H, Threaded Full length with 2 Heavy Hex nuts Electro Zinc Plated as per ASTM B633 (325mm long).	345
671	عدد	Stud Bolt 5/8" - 2 no.s Heavy Hex Nuts ASTM A 193 GR/B7ASTM A194 GR 2H ELECTROZINC PLATED AS PER ASTM B633 ASME B 1.1 AND ASME B18.2.1/B18.2.1/ASME B18.2.2 Size 110 MM	346

الكمية	الوحدة	بيان البضاعة	مسلسل
82	عدد	Stud Bolt 5/8" - 2 no.s Heavy Hex Nuts ASTM A 193 GR/B7ASTM A194 GR 2H ELECTROZINC PLATED AS PER ASTM B633 ASME B 1.1 AND ASME B18.2.1/B18.2.1/ASME B18.2.2 Size 130 MM	347
220	عدد	Stud Bolt 5/8" X 155mm	348
16	عدد	Stud Bolt 5/8" X 80mm	349
25	عدد	Stud Bolt 1" X 195mm	350
38	عدد	Stud Bolt 1" Alloy ASTM A193 GR B8M BOLTS AND ASTM A194 GR 8H NUTS - 190 mm LG	351
184	عدد	Stud Bolt 1" X 175mm	352
10	عدد	Stud Bolt 1" X 150mm	353
30	عدد	Stud Bolt 1" X 145mm	354
8	عدد	Stud Bolt 1" - 2 no.s Heavy Hex Nuts ASTM A 193 GR/B7ASTM A194 GR 2H ELECTROZINC PLATED AS PER ASTM B633 ASME B 1.1 AND ASME B18.2.1/B18.2.1/ASME B18.2.2 Size 85 MM	355
42	عدد	Stud Bolt 1/2" X 80mm	356
11	عدد	Stud Bolt 1/2" X 90mm	357
36	عدد	Hexagon Head Bolt M24 X 110mm	358
154	عدد	Stud Bolt 7/8" X 150mm	359
102	عدد	Stud Bolt 1" ASTM A193 GR B7 BOLTS AND ASTM A194 GR 2H NUTS - THRD FULL LENGTH WITH TWO HEX NUTS LENGTH 170MM	360
35	عدد	Stud Bolt 3/4" - 2 no.s Heavy Hex Nuts ASTM A 193 GR/B7ASTM A194 GR 2H ELECTROZINC PLATED AS PER ASTM B633 ASME B 1.1 AND ASME B18.2.1/B18.2.1/ASME B18.2.2 Size 150 MM	361
12	عدد	Stud Bolt 3/4" 145mm	362
441	عدد	Stud Bolt 3/4" - 2 no.s Heavy Hex Nuts ASTM A 193 GR/B7ASTM A194 GR 2H ELECTROZINC PLATED AS PER ASTM B633 ASME B 1.1 AND ASME B18.2.1/B18.2.1/ASME B18.2.2 Size 140 MM	363
73	عدد	Stud Bolt 3/4" - 2 no.s Heavy Hex Nuts ASTM A 193 GR/B7ASTM A194 GR 2H ELECTROZINC PLATED AS PER ASTM B633 ASME B 1.1 AND ASME B18.2.1/B18.2.1/ASME B18.2.2 Size 135 MM	364



الكمية	الوحدة	بيان البضاعة	مسلسل
18	عدد	Stud Bolt 3/4" - 2 no.s Heavy Hex Nuts ASTM A 193 GR/B7ASTM A194 GR 2H ELECTROZINC PLATED AS PER ASTM B633 ASME B 1.1 AND ASME B18.2.1/B18.2.1/ASME B18.2.2 Size 130 MM	365
14	عدد	Stud Bolt 3/4" 125mm	366
144	عدد	Stud Bolt 3/4" - 2 no.s Heavy Hex Nuts ASTM A 193 GR/B7ASTM A194 GR 2H ELECTROZINC PLATED AS PER ASTM B633 ASME B 1.1 AND ASME B18.2.1/B18.2.1/ASME B18.2.2 Size 120 MM	367
51	عدد	Stud Bolt 3/4" 115mm	368
41	عدد	Stud Bolt 3/4" 110mm	369
17	عدد	Stud Bolt 1-3/8" X 215mm	370
6	عدد	Stud Bolt 1-3/8" X 285mm	371
31	عدد	Stud Bolt 1-3/16 X 210 MM	372
68	عدد	Stud Bolt 1-3/16 X 175 MM	373
818	عدد	Stud Bolt 1-1/8" X 7-1/4"	374
286	عدد	Stud Bolt 1-3/8" X 210MM Long B7M	375
21	عدد	Stud Bolt 1-1/2" X 285 MM	376
75	عدد	Stud Bolt 7/8" X 6"	377
194	عدد	Stud Bolt 1-1/8" X 175mm B.7	378
102	عدد	Stud Bolt 7/8"X 190mm SDSS	379
472	عدد	Stud Bolt 7/8"X 170mm SDSS	380
32	عدد	Stud Bolt 7/8"X 165mm SDSS	381
45	عدد	Stud Bolt 7/8"X 145mm SDSS	382
37	عدد	Stud Bolt 1" X 285mm B.8 SDSS	383
50	عدد	Stud Bolt 1" X 190mm B.8 SDSS	384
21	عدد	Stud Bolt 1" X 180mm SDSS	385
2	عدد	Stud Bolt 1" X 150mm SDSS	386
49	عدد	Stud Bolt 1" X 170mm B.7 SDSS	387
4	عدد	Stud Bolt 3/4" X175mm SDSS	388
235	عدد	Stud Bolt 3/4" X145mm SDSS	389
16	عدد	Stud Bolt 1/2" X 80mm B.8 SDSS	390
20	عدد	Stud Bolt 1/2" X 95mm B.8 SDSS	391
1	عدد	Stud Bolt 1/2" X 75 mm SDSS	392
7	عدد	Stud Bolt 1/2" X 70 mm B.8 SDSS	393
31	عدد	Stud Bolt 3/4" X 125mm SDSS	394
8	عدد	Stud Bolt 3/4" X 130mm SDSS	395

الكمية	الوحدة	بيان البضاعة	مستسل
58	عدد	Stud Bolt 1/2" X 90 mm B.8 SDSS	396
33	عدد	Stud Bolt 3/4" X 115 mm SDSS	397
7	عدد	Stud Bolt 3/4" X 100 mm SDSS	398

**SP-105**

<b>PIPE</b>			
24	متر	Pipe 26" Sch. 40 API 5L Grd. B PSL 1	399
1653	متر	Pipe 20" Sch. XS LSAW API 5L X52 PSL-2, BE CS	400
60	متر	Pipe 16" Sch. 40 ERW API 5L GR B	401
5484	متر	Pipe 10" API 5L X60 18.26 MM THK, Coated	402
1512	متر	Pipe 10" API 5L X60 12.7 MM THK, Coated	403
36	متر	Pipe 4" Sch. 40S SMLS BE Super Duplex SS ASTM A790	404
48	متر	Pipe 2" Sch. 40S SMLS BE Super Duplex SS ASTM A790	405
<b>VALVE</b>			
13	عدد	Ball Valves, 6" CL-1500, RTJ, SUPER DUBLEX SS ASTM A 182 F53	406
38	عدد	Ball Valves, 6" CL- 600, RF, Carbon Steel ASTM A105N / A216-WCB Body, 6 MOLY S/S (UNS N08926/S31234) / Inconel 625 Ball, Stellited Seats, Seat Rings, Trunnion, RPTFE Seats as per KOC Standard : KOC-MP-033 Part 1 and KOC-MP-010	407
28	عدد	Ball Valves, 4" CL- 600, RF, Carbon Steel ASTM A105N / A216-WCB Body, 6 MOLY S/S (UNS N08926/S31234) / Inconel 625 Ball, Stellited Seats, Seat Rings, Trunnion, RPTFE Seats as per KOC Standard : KOC-MP-033 Part 1 and KOC-MP-010	408
3	عدد	Ball Valves, 3" CL- 600, RF, Carbon Steel ASTM A105N / A216-WCB Body, 6 MOLY S/S (UNS N08926/S31234) / Inconel 625 Ball, Stellited Seats, Seat Rings, Trunnion, RPTFE Seats as per KOC Standard : KOC-MP-033 Part 1 and KOC-MP-010	409
5	عدد	Ball Valve 2" CL-600 RTJ Carbon Steel ASTM A105N/A216 WCB Body 6MOLY S/S	410
2	عدد	Ball Valves, 2" CL- 600, RF, Carbon Steel ASTM A105N / A216-WCB Body, 6 MOLY S/S (UNS N08926/S31234) / Inconel 625 Ball, Stellited Seats, Seat Rings, Trunnion, RPTFE Seats as per KOC Standard : KOC-MP-033 Part 1 and KOC-MP-010	411
17	عدد	Ball Valves, 2" CL-1500, RTJ, SUPER DUBLEX SS ASTM A 182 F53	412
557	عدد	Check Valve 6" CL- 1500 RTJ ASTM A216 GR WCB	413
6	عدد	Check Valve 6" CI.900 RTJ SDSS ASTM A182 F53	414

الكمية	الوحدة	بيان البضاعة	مسلسل
62	عدد	Check Valve 3" CL- 600 RTJ ASTM A216 GR WCB	415
1	عدد	Check Valve 3"CI.1500 RTJ SWING TYPE A216 Gr.WCB	416
90	عدد	Check Valve,3" CI 600,RF,CS ASTM A105N/A216-WCB Body,6 MOLY S/S (UNS N0892/S31254)/ Inconel 625 Trim,Stellited Seats	417
51	عدد	Check valve, 2" CS, ASTM A105N/A216 WCB BODY,6 MOLY S/S,/ INCONEL TRIM, STELLITED SEATS CL 1500 RTJ	418
93	عدد	Check Valve,2" CI 600,RF,CS ASTM A105N/A216-WCB Body,6 MOLY S/S (UNS N0892/S31254)/ Inconel 625 Trim,Stellited Seats	419
4	عدد	Check valve 2" CL-150 RF ASTM A216 Gr. WCB	420
10	عدد	GATE VALVE 20" CL 1500 RTJ FLGD ASTM A216	421
1	عدد	Gate Valve 6" CL- 1500 RF Super Duplex SS ASTM A 182 F53	422
53	عدد	Gate Valve 6" CL- 1500# RTJ A216 WCB TRIM # 8	423
16	عدد	Gate Valve 4" CL- 600 RTJ ASTM A216 WCB	424
12	عدد	Gate Valve 4" CL- 900 RTJ Super Duplex ss ASTM A182 f 53 /A 995 GR 5A or 6A	425
2	عدد	GATE VALVE 4" CS, ASTM A105N/A216 WCB BODY,6 MOLY S/S,/ INCONEL TRIM, STELLITED SEATS CL 1500 RTJ	426
155	عدد	Gate Valve,3" CI 600,RF,CS ASTM A105N/A216-WCB Body,6 MOLY S/S (UNS N0892/S31254)/ Inconel 625 Trim,Stellited Seats	427
19	عدد	Gate Valve 2" CL- 600 RTJ ASTM A216 GR WCB	428
49	عدد	GATE VALVE 2" CS, ASTM A105N/A216 WCB BODY,6 MOLY S/S,/ INCONEL TRIM, STELLITED SEATS CL 1500 RTJ	429
63	عدد	Gate Valve,2" CI 600,RF,CS, ASTM A105N/A216-WCB Body,6 MOLY S/S(UNSN0892/S31254)/ Inconel 625 Trim,Stellited Seats	430
1	عدد	Globe Valve 6" CL- 2500 RTJ Super Duplex SS ASTM A 182 F53	431
1	عدد	Globe Valve 4" CL- 2500 RTJ Super Duplex SS ASTM A 182 F53	432
1	عدد	Globe Valve,3" CI 600 RF,CS,ASTM A105N/A216-WCB Body,SS 316L/6 MOLY S/S(UNS N08926/S31254)/ INCONEL 625 TRIM,STELLITED SEATS	433
8	عدد	Globe Valve 2" CL- 1500 RTJ Super Duplex SS ASTM A 182 F53	434
2	عدد	Globe Valve 2" CL- 2500 RTJ Super Duplex SS ASTM A 182 F53	435
5	عدد	Globe Valve 3/4" CL- 3000 SW Super Duplex SS ASTM A 182 F53	436
190	عدد	GLOBE VALVE, 3/4" CS, ASTM A105N/A216 WCB BODY,6 MOLY S/S,/ INCONEL TRIM, STELLITED SEATS CL 1500 SW	437
3	عدد	Globe Valve 1/2"CI.3000 SW,SUPER DUPLEX,SS, ASTM A182 F53	438

الكمية	الوحدة	بيان البضاعة	مسلسل
179	عدد	GLOBE VALVE, 1/2" CS, ASTM A105N/A216 WCB BODY,6 MOLY S/S,/ INCONEL TRIM, STELLITED SEATS CL 1500 THRD	439
23	عدد	PLUG VALVE 3" CL 1500 RTJ FLGD ASTM A216	440
1	عدد	Plug Valve 3-1/8" API 6A Type 6B 5000 # RTJ SS ASTM A182 F53	441
1	عدد	Plug Valve 3-1/8" API 6A, Type 5000 # RTJ ASTM A216 API 14D, PSL 2	442
2	عدد	Plug valve 4" cl 900 RTJ,SS,ASTM A182 F53	443
124	عدد	Plug Valve 6" CL- 1500 RTJ ASTM A 216 WCB / A105 Gear Operated	444
1	عدد	Plug valve 6" cl 900,RTJ,SS,ASTM A 182 F53	445
2	عدد	Pressure Safety Valve,1"(150#) X 3/4" (600#) RTJ Facing Body/Bonnet: ASTM A216 Gr. WCB,Nozzle/Disc/Guide:ss316	446
<b>FLANGE</b>			
35	عدد	Flange 6" CL- 2500 WN RTJ THK 15.88MM ASTM A694 F60 N CS	447
35	عدد	Flange 6" CL- 2500 RTJ CS SCH 120 ASTM A694 F60 N	448
8	عدد	Flange 6" CL- 1500 RTJ SCH 80/XS ASTM A694 F60 N CS	449
403	عدد	Flange 6" CL- 900 RTJ Sch. 80 ANSI B16.5 FCS A105	450
4	عدد	Flange 6" WN CL- 2500 RTJ Sch. 80S Super Duplex SS ASTM A 182 F53	451
22	عدد	Flange 6" WN CL- 1500 RTJ Sch. 40S Super Duplex SS ASTM A 182 F53	452
397	عدد	Flange 6" CL- 1500 WNRF SCH 80 ASTM A694 F60 N CS	453
9	عدد	Flange 6" Cl.2500 WNRF SCH 120, CS,ASTM A694 F60	454
112	عدد	Flange, 6" CL-600, RF, A105N, Sch.80/XS	455
1	عدد	Flange 6" WN CL-2500 RF Sch.80S Super Duplex SS ASTM A 182 F53	456
499	عدد	Flange 4" CL- 900 RTJ ANSI B16.5 Sch. 80 FCS A105N	457
2	عدد	Flange 4" WN CL- 2500 RTJ Sch. 80S Super Duplex SS ASTM A 182 F53	458
2	عدد	Flange 4" WN CL- 2500 RTJ Sch. 40S Super Duplex SS ASTM A 182 F53	459
10	عدد	Flange 4" WN CL- 150 RTJ Sch. 40S Super Duplex SS ASTM A 182 F53	460
7	عدد	Flange 4" WN CL- 150 FF Sch. 80S Super Duplex SS ASTM A 182 F53	461
164	عدد	Flange, 4: CL-600, RF, A105N, Sch.80/XS	462

الكمية	الوحدة	بيان البضاعة	مسلسل
1	عدد	Flange 4-1/16" WN CL- 10000 RTJ Super Duplex SS ASTM A 182 F53	463
42	عدد	Flange 3" CL- 600 RTJ B16.5 Sch. 80 FCS A105 N	464
2	عدد	Flange 3" WN Cl.900 ANSI B16.5 SCH 80S RTJ SS, ASTM A182 F 53	465
7	عدد	Flange 3" Cl.2500 WNRF SCH 120, CS ASTM A694 F60 N (XXS)	466
8	عدد	Flange 3" CL- 2500 WN RF Sch. 40S Super Duplex SS ASTM A 183 F53	467
3	عدد	Flange 3" CL- 1500 WN RF Sch. 40S Super Duplex SS ASTM A 183 F53	468
88	عدد	Flange, 3", CL-600, SCH XS/80, RF, Carbon Steel ASTM A 105 N, WN, To ASME B16.5, suitable for sour service compliance to NACE MR0175	469
160	عدد	Flange 3" CL- 1500 WNRTJ SCH 80 ASTM A694 F60 N CS	470
1	عدد	Flange 3" CL- 150 WNRF ASTM A105 N CS	471
1	عدد	Flange 3-1/8" WN API 6A.B16.5 CL- 10000 RTJ Super Duplex SS ASTM A 182 F53	472
2	عدد	Flange 3-1/8" WN API 6A.B16.5 CL- 5000 RTJ Super Duplex SS ASTM A 182 F53	473
6	عدد	Flange 3-1/8" API 6A Type 6B 5000# Sch. 80/XS FCS RTJ	474
58	عدد	Flange 2" WN CL- 1500# ASME B16.5 Sch. 160 FCS RTJ A694 F60 ASTM	475
53	عدد	FLANGE 2" CL 1500 RF SCH XS/80 CS ASTM A 105 N	476
145	عدد	Flange 2" WN Cl.600 ANSI B16.5 SCH 80 FCS RTJ A105 Normalised	477
45	عدد	Flange 2" WN Cl.600 ANSI B16.5 SCH 80 FCS RF A105 Normalised	478
4	عدد	Flange 2" WN CL- 2500 RTJ Sch. 40S Super Duplex SS ASTM A 182 F53	479
7	عدد	Flange 2" WNFF Cl.150 SCH 40S, SUPER DUPLEX SS ASTM A 182 F53	480
35	عدد	Flange 2-1/16" API 6A Type 6B 5000# RTJ Sch. 80 A105N	481
<b>BLIND FLANGE &amp; SPECTACLE BLIND</b>			
12	عدد	BLIND FLANGE 20" CL 1500 RTJ ASME B16.5 FCS ASTM A694 F52	482
2	عدد	Blind Flange, 10" CL-600, RF,A105N	483
10	عدد	Blind Flange 10" CL- 1500 RTJ Super Duplex SS ASTM A 182 F53	484

الكمية	الوحدة	بيان البضاعة	مسلسل
4	عدد	Blind Flange, 8" CL-600, RF,A105N	485
178	عدد	BLIND FLANGE 6" CL 1500 RTJ ASME B16.5 FCS SCH XS ASTM A105 N	486
2	عدد	Blind Flange 6" CL-600 RTJ ASTM A105 N to ASME B16.5	487
10	عدد	Blind Flange, 6", CL-600, RF, ASTM A105 N, To ASME B16.5, suitable for sour service compliance to NACE MR0175	488
8	عدد	Blind Flange, 6", CL-1500, RF, ASTM A105 N, To ASME B16.5, suitable for sour service compliance to NACE MR0175	489
3	عدد	Blind Flange 6" CL- 1500 RTJ Super Duplex SS ASTM A 182 F53	490
7	عدد	Blind Flange 4" CL- 1500 RTJ ASME B16.5 XS FCS ASTM A105N	491
2	عدد	Blind Flange 4" CL- 600 RF ASTM A 105N	492
182	عدد	Blind Flange 3" Cl.1500 B16.5 FCS RTJ A105 Normalised	493
67	عدد	Blind Flange 3" Cl.1500 B16.5 FCS RF A105 Normalised	494
38	عدد	Blind Flange, 3" CL-600, RF, A105N,	495
35	عدد	Blind Flange 2" RF CL- 600 ANSI B16.5 SCH 80 FCS A105N	496
12	عدد	Blind Flange 2" CL- 1500 RTJ Super Duplex SS ASTM A 182 F53	497
2	عدد	Blind flange 2" CL-150 WNRF SS ASTM A182 F53	498
18	عدد	Blind Flange, 2" CL-150, RF, A105N,	499
27	عدد	Blind Flange, 2" CL-1500, RF, A105N	500
3	عدد	Blind Flange, 2" CL-1500, RTJ, A105N	501
1	عدد	Spectacle Blind Flange 12" CL-600, A105N	502
3	عدد	Spectacle Blind Flange 10" CL-600, A105N	503
3	عدد	Spectacle Blind Flange 10" CL-1500, RTJ A516 Gr.60 R54	504
15	عدد	Spectacle Blind Flange 6" CL-600, A105N	505
7	عدد	Spectacle Blind Flange 6" CL-1500 A516 Gr.60N	506
11	عدد	Spectacle Blind Flange 6" CL-900 A516 Gr.60N	507
12	عدد	SPECTACLE BLIND 6" RF CL 2500 CS ASTM A516 GR 70N HDPE LINED,WITH INCONEL 825 WELD OVERLAY 3MM THICK	508
19	عدد	SPECTACLE BLIND 6" RF CL 1500 CS ASTM A516 GR 70N HDPE LINED WITH 3MM THK INCOLOY 825 WELD OVERLAY ON FACE	509
3	عدد	SPECTACLE BLIND/SPADE, 4" RTJ CL 1500 CS, ASTM A516 GR 60N	510
11	عدد	Spectacle Blind Flange 3" CL-600, A105N	511
70	عدد	Spectacle Blind 3-1/8" CL- 5000 RTJ FCS ASTM A105N	512
8	عدد	Spectacle Blind Flange 2" CL-600, A105N	513
<b>ELBOW</b>			

الكمية	الوحدة	بيان البضاعة	مسلسل
5	عدد	Elbow 20" 45 deg LR Sch.XS CS BW SMLS ASTM A860 WPHY 52 ASME B16.9	514
1	عدد	Elbow 20" 90 LR Sch. XS WCS ASTM A860 WPHY 52	515
4	عدد	Elbow 10" 45 ° LR Sch. XS, CS,BW,SMLS,ASTM A860 WPHY 52 ASME B16.9	516
48	عدد	Elbow 10" 90 ° LR 12.7 MM, WCS,BW,SMLS,ASTM A860 WPHY 60 ASME B16.9	517
17	عدد	Elbow 10" 45 Sch XS WCS BW SMLS ASTM A860 WPHY 52	518
6	عدد	Elbow 8" 90 ° LR Sch. XS WCS ASTM A 860 SMLS WPHY 52	519
8	عدد	Elbow 8" 45 ° LR Sch. XS WCS ASTM A 860 SMLS WPHY 52	520
10	عدد	Elbow 6" X 90 ° LR Sch. XS/80 SMLS BE ASTM A234 Gr. WPB	521
7	عدد	Elbow 6" 90 Sch. 40 ASTM A234 Gr. WPB BE SMLS CS ASME B16.9	522
4	عدد	Elbow 6" x 45 LR Sch.40S SMLS BE Super Duplex SS ASTM A815	523
4	عدد	Elbow 6" X 45 ° LR Sch. 80S SMLS BE Super Duplex ss ASTM A815	524
12	عدد	Elbow 6" 45 ° LR Sch. XS WCS ASTM A 860 WPHY 52	525
8	عدد	Elbow 4" X 90 ° LR Sch. 40, SMLS BE A234 GR WPB	526
1	عدد	Elbow 4" X 90 ° LR Sch. XS/80S SMLS BE Super Duplex SS ASTM A815	527
6	عدد	Elbow 4" X 90 ° LR Sch. 40S SMLS BE Super Duplex SS ASTM A815	528
6	عدد	Elbow 4" x 90deg LR Sch. XS WCS ASTm A860 WPHY 52	529
235	عدد	Elbow 4" X 90 ° LR Sch. XS/80 SMLS BE A234 GR WPB	530
488	عدد	Elbow 3" X 90 ° LR Sch. XS/80 SMLS BW A234 GR WPB	531
16	عدد	Elbow 3" X 90 ° LR Sch. 40S SMLS BE Super Duplex SS ASTM A815	532
16	عدد	Elbow 3" X 45 Degree LR Sch. XS/80 SMLS BW A234 GR WPB	533
12	عدد	Elbow 3" x 90deg LR Sch. XS WCS ASTm A860 WPHY 52	534
8	عدد	Elbow 2" X 90 ° LR Sch. 40S SMLS BE Super Duplex SS ASTM A815	535
53	عدد	Elbow 2" X 90 Degree LR Sch. XS/80 SMLS BW A234 GR WPB	536
975	عدد	Elbow 2' x 90 LR Sch.40 SMLS WCS BE	537
12	عدد	Elbow 2" x 90deg LR Sch. XS WCS ASTm A860 WPHY 52	538
22	عدد	Elbow 2" X 45 Degree LR Sch. XS/80 SMLS BW A234 GR WPB	539
10	عدد	Elbow 1" X 90 Degree SW CL- 6000 FCS ASTM A105N	540
10	عدد	Elbow 1" X 90 Degree SW CL- 3000 FCS ASTM A105N	541
9	عدد	Elbow 3/4" X 90 Degree SW CL- 3000 FCS ASTM A105N	542

الكمية	الوحدة	بيان البضاعة	مسلسل
12	عدد	Elbow 3/4" X 90 Degree SW CL- 6000 FCS ASTM A105N	543
9	عدد	Elbow 1/2" X 90 Degree SW CL- 3000 FCS ASTM A105N	544
<b>EQUAL TEE</b>			
2	عدد	Equal Tee 20" Sch.40, SMLS BW WCS ASTM A860 WPHY 52	545
5	عدد	Equal Tee 10" Sch. 12.7 MM SMLS BW WCS ASTM A860 WPHY 60	546
4	عدد	Equal Tee 10" Sch. 12.7 MM SMLS BW WCS ASTM A860 WPHY 60 - barred	547
9	عدد	Equal Tee 10" Sch. XS SMLS,WCS,BW,ASTM A860 WHY 52 ASME B16.9	548
260	عدد	Equal Tee 6" LR Sch. XS/80 BW SMLS ASTM A234 Gr. WPB	549
17	عدد	Equal Tee 6" Sch. 80 SMLS BW WCS ASTM A860 WPHY 52	550
8	عدد	Equal Tee 6" Sch. 80 SMLS BW WCS ASTM A860 WPHY 60	551
2	عدد	Equal Tee 6" Sch.40s SMLS BE Super Duplex ss ASTM A815	552
1	عدد	Equal Tee 6" Sch.40s SMLS BE Super Duplex ss ASTM A815	553
8	عدد	Equal Tee 4" Sch.40 SMLS BE A234 GR. WPB	554
180	عدد	Equal Tee 4" Sch. XS/80 SMLS BE A234 GR WPB	555
6	عدد	Equal Tee 4" Sch. 80 SMLS BW WCS ASTM A860 WPHY 52	556
6	عدد	Equal Tee 3" Sch. 80 SMLS BW WCS ASTM A860 WPHY 52	557
241	عدد	Equal Tee 3" Sch. XS/80 SMLS BE A234 GR WPB	558
6	عدد	Equal Tee 2" Sch. 80 SMLS BW WCS ASTM A860 WPHY 52	559
11	عدد	Equal Tee 2" Sch.40 SMLS BE A234 GR. WPB	560
18	عدد	Equal Tee 1" CL- 6000 SW FCS ASTM A105N	561
18	عدد	Equal Tee 1" CL- 6000 THRD FCS ASTM A105N	562
14	عدد	Equal Tee 3/4" CL- 6000 THRD FCS A105	563
23	عدد	Equal Tee 3/4" CL- 3000 SW FCS A105	564
40	عدد	Equal Tee 3/4" CL- 3000 THRD FCS A105	565
550	عدد	Equal Tee 1/2" 3000# SW ASTM A105N	566
12	عدد	Equal Tee 1/2" CL- 3000 THRD FCS A105	567
382	عدد	Equal Tee 1/2" 6000# Thrd. FCS ASTM A105N	568
3	عدد	Barred Tee 10" Sch. XS SMLS,WCS,BW,ASTM A860 WHY 52 ASME B16.9	569
<b>REDUCING TEE</b>			
6	عدد	Reducing Tee 14 X 14 X 6" 15.04 MM THK SMLS BE CS ASTM A860 INTERNALLY HDPE LINED WPHY 60	570
7	عدد	Reducing Tee 12" X 12" X 6" 19.05 MM THK SMLS BE CS ASTM A860 INTERNALLY HDPE LINED WPHY 60	571



الكمية	الوحدة	بيان البضاعة	مسلسل
3	عدد	Reducing Tee 10" Sch. 100 X 6" SCH 120 SMLS,WCS ASTM A860 WPHY 60	572
11	عدد	Reducing Tee 10" X 10" X 6" 15.88 MM Thick SMLS BE CS ASTM A860 INTERNALLY HDPE LINED WHPY 60	573
8	عدد	Reducing Tee 8" X 8" X 6" 15.88 MM SMLS BE CS ASTM A860 INTERNALLY HDPE LINED WHPY 60	574
5	عدد	Reducing Tee 8" X 8" X 6" 9.53 MM THK SMLS BE CS ASTM A860 INTERNALLY HDPE LINED WHPY 60	575
22	عدد	Reducing Tee 6" X 3" 15.88 MM SMLS BE CS ASTM A860 WPHY 60	576
14	عدد	Reducing Tee 6" X 3" Sch. 120 X Sch 160 SMLS CS BE ASTM A860 WPHY 60	577
10	عدد	Reducing Tee 6" X 3" Sch. XS/80 SMLS CS BE ASTM A860 WPHY 60	578
16	عدد	Reducing Tee 6" X 4" Sch. XS/80 SMLS BE ASTM A234 GR WPB	579
27	عدد	Reducing Tee 4" x 3" Sch. XS/80 SMLS A234 WPB BE	580
13	عدد	Reducing Tee 3" x 2" Sch. XS/80 SMLS A234 GR WPB BE ASME B16.9	581
300	عدد	Reducing Tee 3/4" x 1/2" CL- 3000 SW FCS ASTM A105N	582
3	عدد	Reducing Tee 8" X 6" 12.77 MM THK SMLS BE CS ASTM A860 INTERNALLY HDPE LINED WHPY 60	583
<b>STUD BOLTS</b>			
144	عدد	Stud Bolt 3" X 22 1/4" LG C/W Nuts. Alloy B7M/2HM For 20" Flange CL- 1500 ASTM A193	584
500	عدد	Stud Bolt 2 3/4" X 22 1/8" C/W Nuts. Alloy B7M/2HM For 12" Flange CL- 2500	585
318	عدد	Stud Bolt 2 1/2" X 20 1/8" C/W Nuts. Alloy B7M/2HM For 10" Flange CL- 2500	586
890	عدد	Stud Bolt 2" X 14" C/W Nuts. Alloy B7M/2HM For 6" Flange CL- 2500	587
160	عدد	Bolt Std 1 7/8"x13 1/4" C/W Nuts Alloy B7M/2HM for Flange 10" Cl.1500	588
116	عدد	Stud Bolt 1 7/8" X 15 1/8" C/W Nuts. Alloy B7M/2HM Electro Zinc Plated	589
<b>FITTINGS</b>			
4	عدد	Reducer Conc. 6" X 4" Sch. XS/80 SMLS ASTM A234 WPB	590
19	عدد	Reducer Conc. 6" X 3" Sch.XS/80 SMLS BE A234 GR WPB	591

الكمية	الوحدة	بيان البضاعة	مسلسل
5	عدد	Reducer Conc. 2" X 3/4" Sch. XS/80 SMLS ASTM A234 WPB	592
1	عدد	reducer conc. 3" x 1 1/2" sch. 40 BE super Duplex SS ASTM A815	593
5	عدد	Reducer Conc. 4' x 2" Sch. 40 SMLS ASTM A234 WPB	594
80	عدد	Reducer Conc. 4' x 3" Sch. Xs/80 SMLS ASTM A234 WPB	595
2	عدد	reducer conc. 4" x 3" sch. 40 BE super Duplex SS ASTM A815	596
1	عدد	reducer conc. 4" x 3" sch. 40 BE super Duplex SS ASTM A815	597
250	عدد	Cap 1/2" 6000# Thrd. FCS A105	598
370	عدد	Cap 1/2" 3000# Thrd. FCS A105	599
350	عدد	Cap 3/4" Thrd. CL- 6000 FCS A105	600
50	عدد	Cap 3/4" Thrd. CL- 3000 FCS A105	601
1000	عدد	Nipple 3/4" X 4" ST SMLS Sch. XXS POE/TOE API 5L GR.B	602
1300	عدد	Nipple 3/4"x4" LG ST SMLS Sch.XXS CS PBE API 5L Gr.B	603
500	عدد	Nipple 3/4" X 4" LG ST SMLS Sch. XXS CS TBE API 5L Grd. B	604
748	عدد	Nipple 1/2"x4" LG ST SMLS Sch.XXS CS PBE API 5L Gr.B	605
93	عدد	Nipple 1/2" X 4" LG Sch.160 PBE API 5L Gr.B	606
150	عدد	Nipple 1/2" x 4" LG ST SMLS Sch.Xs CS TBE API 5L Gr.B	607
70	عدد	Nipple 1/2" X 4" ST SMLS Sch. 80S TBE SS ASTM A 182 F53	608
700	عدد	Nipple 1/2"X 4' LG ST SMLS Sch.Xs CS POE/TOE API 5L Gr.B	609
100	عدد	Nipple 3/4"X 4" LG ST SMLS Sch.Xs CS POE/Toe API 5L Gr.B	610
1250	عدد	Nipple 3/4"X 4" LG ST SMLS Sch.Xs CS TBE API 5L Gr.B	611
31	عدد	Half Coupling 1" CL- 6000 SW FCS ASTM A105N	612
9	عدد	Half Coupling 1/2" SW 3000# FCS A105N	613
110	عدد	Half Coupling 1/2" SW 6000# A105N FCS	614
29	عدد	Full Coupling 1" Cl.6000 SW FCS A105 Normalised	615
28	عدد	Full Coupling 1" Cl.3000 SW FCS A105 Normalised	616
30	عدد	Full Coupling 1" CL- 3000 THRD FCS A105N	617
28	عدد	Full Coupling 1" CL- 6000 THRD FCS A105N	618
42	عدد	Full Coupling 3/4" CL-6000 Thrd FCS A105N	619
10	عدد	Half coupling 3/4" SW 6000 A105N FCS	620
36	عدد	Full Coupling 1/2" CL- 6000 Threaded FCS A105N	621
29	عدد	Full Coupling 1/2" Cl.3000 SW FCS A105 Normalised	622
30	عدد	Full Coupling 1/2" Cl.6000 SW FCS A105 Normalised	623
627	عدد	Socket 3/4" CL- 6000 FCS ASTM A 105N	624
17	عدد	Socket 1/2" X 1" to 36" CL- 6000 - FORGED, carbon steel ASTM A105N, TO ASME B16.11	625

الكمية	الوحدة	بيان البضاعة	مسلسل
25	عدد	Socket 3/4" X 2" to 20" - FORGED, carbon steel ASTM A105N, TO ASME B16.11 CL- 3000	626
780	عدد	Socket 1" CL-3000 ASTM A105N	627
550	عدد	Socket 1/2" CL-3000 ASTM A105N	628
420	عدد	Socket 1/2" CL-3000 ASTM A105N	629
5	عدد	socket 1/2" CL-6000 ASTM A105	630
100	عدد	Socket 1/2" CL-6000 ASTM A105N	631
31	عدد	Socket 3/4" X 1" to 36" CL-6000 FORGED carbon steel ASTM A105 to ASME B16.11	632
213	عدد	Weldolet 20" X 6" Sch. XS FCS ASTM A105 N BW	633
14	عدد	Weldolet 20" X 4" Sch. XS FCS ASTM A105 N BW	634
6	عدد	Socket 1" X 6" to 20" CL- 6000 - FORGED, carbon steel ASTM A105N, TO ASME B16.11	635
6	عدد	Weldolet 4" X 20" Sch. 160 - FORGED, carbon steel ASTM A105N, TO ASME B16.11	636
4	عدد	Weldolet 6" X 10" Sch. 160 - FORGED, carbon steel ASTM A105N, TO ASME B16.11	637
9	عدد	Weldolet 8" X 20" Sch. 160 - FORGED, carbon steel ASTM A105N, TO ASME B16.11	638
23	عدد	Weldolet 2" X 6" Sch. 80S - FORGED, carbon steel ASTM A105N, TO ASME B16.11	639
3	عدد	Weldolet 6" X 20" - 36" Sch. XS, A105	640
8	عدد	Weldolet 2" X 8" Sch. XS - FORGED, carbon steel ASTM A105N, TO ASME B16.11	641
26	عدد	Weldolet 2" X 3" - 36" Sch. XXS, A105N	642
<b>INSULATION KIT</b>			
23	عدد	Insulation Kit 10" CL- 1500 Flanged Full face GRE Insulation kit	643
32	عدد	Insulation Kit 6" CL- 1500 WN RTJ Flange	644
<b>ANCHOR FLANGE</b>			
6	عدد	Anchor Flanges, 10", CI-1500, RTJ, Thk.12.7 MM ASTM A694 Gr. F 60, To ASME B16.5, suitable for sour service compliance to NACE MR0175	645
<b>PRESSURE SAFETY VALVE</b>			
2	عدد	Pressure Safety Valve, 2" (150#) X 1"(600#), RTJ Facing, Body / Bonnet : ASTM A216 Gr. WCB, Nozzle / Disc / Guide : SS316 with mating flanges, Stud bolts & Gaskets	646

الكمية	الوحدة	بيان البضاعة	مسلسل
2	عدد	Pressure Safety Valve, 1"(150#) X 3/4"(600#), RTJ Facing, Body / Bonnet : ASTM A216 Gr. WCB, Nozzle / Disc / Guide : SS316 with mating flanges, Stud bolts & Gaskets	647
<b>INDUCTION BEND</b>			
23	عدد	Induction Bend 5D 20" 45 Deg. Sch. XS API 5L Gr.X52 PSL-2 SMLS	648
8	عدد	Induction Bend 5D 10" 45 Deg. Sch. XS API 5L Gr.X52 (12.7 MM Thk) As per KOC-MS-002	649
8	عدد	Induction Bend 5D 10" 45 Deg. Sch. 100 API 5L Gr.X60 (18.26 MM Thk) As per KOC-MS-002	650
13	عدد	Induction Bend 5D 10" 45 Deg. Sch. XS API 5L Gr.X60 (12.7 MM Thk) As per KOC-MS-002	651
<b>OTHER ITEMS</b>			
2	عدد	Pig launcher / receiver with suitable Jib Crane 10" X 14"	652
12	عدد	Pig Signaler 2" x 600#, bidirectional Drawing No. 55-04-76 as per KOC Standard & Technical Specification	653
210	عدد	End Plug 1/2" 3000 FCS ASTM A105 N	654
60	عدد	End Plug 3/4" 3000 FCS ASTM A105 N	655
2	عدد	Orifice Plate 6" 1500 Super duplex SS ASTM A 182 F53	656
2	عدد	Pig Launcher Receiver 10" X 14"	657
40	عدد	Swage conc. 1 1/2" X 3/4" sch. 80s SMLS BE ASTM A105N PBE	658
60	عدد	Threadolet 1/2" CL-3000 ASTM A105N	659
	مقطوع	Misceleous Fence Materials (Lump sum)	660
	مقطوع	Tyres	661